

Work Order ID 97781-1

February-25-13 8:37:29 AM

97781

Page 1

Item ID: D3849-043

Revision ID:

Item Name: Aft Wearplate Assembly, STD Gear

Start Date: 2/25/13 Start Qty: 6.00

Required Date: 3/11/13 Req'd Qty: 6.00

Reference:

Accept

SPLIT

N900040100

Setup Start *NS1*

Stop *NS2*

Cust Item ID:

Customer:

6 2
6 2

Approvals: Process Plan: MLJ

Date: 13-02-25

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr Revision Nbr

D3849 D

110

0.00

110

Large Fab

Large Fab

Memo

0.00

1- On D3901-1 bar, fill cut outs with hardcoat welding rod as per dwg D3849

2059 B Hardcoat Welding Rod

BATCH#: M124597

2- Weld D3901-1 bar to wearplate as per dwg D3849

304 S.S. Welding Rod

BATCH #: M118161

3- Transfer drill holes as per dwg

4- Cut excess bar material if necessary

X2 13-03-13 MAL

120

QC9- Inspect visual per QS1004- Fusion Welds

0.00

120

QC

Quality Control

Memo

0.00

2 13-03-13

DAS
09
2-89

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions <input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other
---	---	--

Work Order ID 97781

February-25-13 8:37:29 AM

97781

Page 3

Item ID: D3849-043
Revision ID:
Item Name: Aft Wearplate Assembly, STD Gear
Start Date: 2/25/13 Start Qty: 6.00
Required Date: 3/11/13 Req'd Qty: 6.00
Reference:

Accept

N9000040100


Setup Start ***NS1***
Stop ***NS2***

Cust Item ID:
Customer:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Identify as per dwg & Stock Location: <u>FP-002</u>	0.00							
160									
Packaging	Memo	0.00				x2	f	U 13/03/18	
Packaging									
170	QC21- Final Inspection - Work Order Release	0.00							
170									
QC	Memo	0.00							
Quality Control									

13/3/20 
R1303-19

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data <input type="checkbox"/>									
Equip/Tooling <input type="checkbox"/>									
Operator <input type="checkbox"/>									
Material <input type="checkbox"/>									
Setup <input type="checkbox"/>									
Other <input type="checkbox"/>									
Process <input type="checkbox"/>									
Supplier <input type="checkbox"/>									
Training <input type="checkbox"/>									
Unapproved <input type="checkbox"/>									

FAULT CATEGORY

Landing Gear	General	Other
<input type="checkbox"/> Bending	<input type="checkbox"/> Bend	<input type="checkbox"/> Grain
<input type="checkbox"/> Centre Not Concentric to O/S	<input type="checkbox"/> BOM/Route	<input type="checkbox"/> Hardware
<input type="checkbox"/> Cracks	<input type="checkbox"/> Broken/Damaged	<input type="checkbox"/> Inspection Incomplete
<input type="checkbox"/> Crushed/Crimped	<input type="checkbox"/> Burrs	<input type="checkbox"/> Instructions Incomplete/Unclear
<input type="checkbox"/> Cuffs	<input type="checkbox"/> Contamination	<input type="checkbox"/> Maintenance
<input type="checkbox"/> Heat Treat	<input type="checkbox"/> Countersink	<input type="checkbox"/> Misabeled
<input type="checkbox"/> Inspection Strip in Tube	<input type="checkbox"/> Cut Too Short	<input type="checkbox"/> Misread
<input type="checkbox"/> Ripples in Bend	<input type="checkbox"/> Drill Holes	<input type="checkbox"/> Offset
<input type="checkbox"/> Torque Waves in Extrusion	<input type="checkbox"/> Drawing	<input type="checkbox"/> Out of Calibration
<input type="checkbox"/> Turning Sequence	<input type="checkbox"/> Finish	<input type="checkbox"/> Out of Sequence
<input type="checkbox"/> Wave/Twist in Tube	<input type="checkbox"/> Folio	<input type="checkbox"/> Outside Dimensions
		<input type="checkbox"/> Ovalized
		<input type="checkbox"/> Over/Under tolerance
		<input type="checkbox"/> Part Incorrect
		<input type="checkbox"/> Part Lost/Missing
		<input type="checkbox"/> Part Moved
		<input type="checkbox"/> Positioned Wrong
		<input type="checkbox"/> Power Loss/Surge
		<input type="checkbox"/> Pressure/Forced
		<input type="checkbox"/> Temperature/Cure
		<input type="checkbox"/> Weld
		<input type="checkbox"/> Wrong Stock Pulled
		<input type="checkbox"/> Other

Picklist Print

February-25-13 8:37:33 AM

Page 1

Work Order ID: 97781

97781

Parent Item: D3849-043

D3849-043

Parent Item Name: Aft Wearplate Assembly, STD Gear

Start Date: 2/25/13

Required Date: 3/11/13

Start Qty: 6.00

Required Qty: 6.00

Comments:

IPP RevA: New issue DD verified by:EC
12.09.11 AS PER DWG REV.D DD VERF:JLM

IPP Rev:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3849-3		Manufactured	No			110	Each	14.0000	1	6			

D3849-3

Plate

**

Location

Loc Qty

Loc Code

WA001

14

82673

2

90556


3

93050

3

93324

6



110

Each

26.0000

2

12

**

X2 13-03-13 MAL

D3901-3

Manufactured No

D3901-3

Bar

Location

Loc Qty

Loc Code

WA001

26

91598


4

91910

4

93306

18



X4 13-03-13 MAL

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____


QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																


Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY


Landing Gear	General	Other
<input type="checkbox"/> Bending	<input type="checkbox"/> Bend	<input type="checkbox"/> Grain
<input type="checkbox"/> Centre Not Concentric to O/S	<input type="checkbox"/> BOM/Route	<input type="checkbox"/> Hardware
<input type="checkbox"/> Cracks	<input type="checkbox"/> Broken/Damaged	<input type="checkbox"/> Inspection Incomplete
<input type="checkbox"/> Crushed/Crimped	<input type="checkbox"/> Burrs	<input type="checkbox"/> Instructions Incomplete/Unclear
<input type="checkbox"/> Cuffs	<input type="checkbox"/> Contamination	<input type="checkbox"/> Maintenance
<input type="checkbox"/> Heat Treat	<input type="checkbox"/> Countersink	<input type="checkbox"/> Mislabeled
<input type="checkbox"/> Inspection Strip in Tube	<input type="checkbox"/> Cut Too Short	<input type="checkbox"/> Misread
<input type="checkbox"/> Ripples in Bend	<input type="checkbox"/> Drill Holes	<input type="checkbox"/> Offset
<input type="checkbox"/> Torque Waves in Extrusion	<input type="checkbox"/> Drawing	<input type="checkbox"/> Out of Calibration
<input type="checkbox"/> Turning Sequence	<input type="checkbox"/> Finish	<input type="checkbox"/> Out of Sequence
<input type="checkbox"/> Wave/Twist in Tube	<input type="checkbox"/> Folio	<input type="checkbox"/> Outside Dimensions
		<input type="checkbox"/> Ovalized
		<input type="checkbox"/> Over/Under tolerance
		<input type="checkbox"/> Part Incorrect
		<input type="checkbox"/> Part Lost/Missing
		<input type="checkbox"/> Part Moved
		<input type="checkbox"/> Positioned Wrong
		<input type="checkbox"/> Power Loss/Surge
		<input type="checkbox"/> Pressure/Forced
		<input type="checkbox"/> Temperature/Cure
		<input type="checkbox"/> Weld
		<input type="checkbox"/> Wrong Stock Pulled
		<input type="checkbox"/> Other




D3849-041 FWD WEARPLATE ASSY, STD GEAR



D3849-043 AFT WEARPLATE ASSY, STD GEAR



D3849-045 AFT WEARPLATE ASSY, FLOAT GEAR



D3849-047 FWD WEARPLATE ASSY, FLOAT GEAR

ITEM	QTY -041	QTY -043	QTY -045	QTY -047	P/N	DESCRIPTION
1	X				D3849-041	FWD WEARPLATE ASSY, STD GEAR
2		X			D3849-043	AFT WEARPLATE ASSY, STD GEAR
3			X		D3849-045	AFT WEARPLATE ASSY, FLOAT GEAR
4				X	D3849-047	FWD WEARPLATE ASSY, FLOAT GEAR
11	1				D3849-1	PLATE
12		1			D3849-3	PLATE
13			1		D3849-5	PLATE
14				1	D3849-7	PLATE
15	1			1	D3901-1	BAR
16		2			D3901-3	BAR
17			2		D3901-5	BAR
21	A/R	A/R	A/R	A/R	2059B	HARDCOAT
22	A/R	A/R	A/R	A/R	4714	PLUS ONE ROCKGUARD

D	REVISED FLAT PATTERN - CHANGED SLOT LOCATIONS TO MATCH D3901-1/3/5 BARS (ZN B6-6, B3-6, B6-7, C2-7, B6-8, B2-8, B7-9, B2-9).	DC	12.08.23
C	REVISED FLAT PATTERN - CHANGE SLOT LOCATIONS. ADDED DOUBLE SLOTS AND D3901-3/5 BARS ON -043/-045. UPDATED DETAIL VIEWS. CHANGED WELD DETAILS (ZN B2-2). REMOVED D3848-1/3/5/7 GASKETS, ADD ROCKGUARD COATING, REMOVE FINISH.	DC	12.08.21
B	REVISED FLAT PATTERN Ø0.375 WAS SLOT HOLE ON D3849-1F/3F/5F (ZN A4-5, B4-7, B4-8, C2-10, B2-10); ADD D3849-047 (ZN D4-1, A4-1 & B4-5) & D3849-7/7F (ZN C4-9, A4-9); ADD SECTION K-K (ZN C5-10); 0.88 WAS 0.875 & 0.44 WAS 0.438 (ZN A3-10); ADD 0.25 & 0.88 (ZN D4-10, D3-10); ADD 0.88 & 0.44 (ZN C3-10 & B3-10); ADD FLAG NOTE (ZN A8-2, C6-2, C3-2, A8-3, C6-3, C3-3, A8-4, C6-4, C2-4); 66, 87 WAS 87.36 (ZN B4-7)	RF	09.06.30
A	NEW ISSUE	RF	09.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	DC		
CHECKED	DC		
MFG. APPR.	DC		
APPROVED	DC		
DE APPR.	DC		
DATE	12.08.23		

DART AEROSPACE USA, INC.

KENT, WA

DRAWING NO.

REV. D

D3849

SHEET 1 OF 10

TITLE

WEARPLATE ASSY


SCALE

NTS


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

937.81 MLJ
13-02-25
RELEASED
2012-09-04
JMS

97721




TYP




SECTION A-A

C3-2



D3849-041 FWD WEARPLATE ASSY, STD/FLOAT GEAR



DETAIL B

C5-2


RELEASED
2012-09-04
mp

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1 AS SHOWN
- 7) WEIGHT: D3849-041 = 4.58 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.32 THICK x 0.50 WIDE, FLUSH WITH D3901-1 BAR ON LATERAL SURFACES
- 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
- 11) TRANSFER DRILL $\phi 0.188$ HOLES FROM D3849-1 PLATE TO D3901-1 BAR

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	BS	DRAWING NO.	REV. D
MFG. APPR.	BS	D3849	SHEET 2 OF 10
APPROVED	MP	TITLE	SCALE
DE APPR.	MP	WEARPLATE ASSY	NTS
DATE	12.08.23	<small>COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

97781



D3849-043 AFT WEARPLATE ASSY, STD GEAR

SECTION C-C

C3-3

D3901-3
BAR, REF


RELEASED
2012-09-04

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1 AS SHOWN
- 7) WEIGHT: D3849-043 = 7.66 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.32 THICK x 0.50 WIDE, FLUSH WITH D3901-3 BARS ON LATERAL SURFACES
- 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
- 11) TRANSFER DRILL $\varnothing 0.188$ HOLES FROM D3849-3 PLATE TO D3901-3 BARS

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	PC	KENT, WA	
CHECKED	PC	DRAWING NO.	REV. D
MFG. APPR.	PC	D3849	SHEET 3 OF 10
APPROVED	PC	TITLE	SCALE
DE APPR.	PC	WEARPLATE ASSY	NTS
DATE	12.08.23	<small>COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

97781




D3849-045 AFT WEARPLATE ASSY. FLOAT GEAR




NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1 AS SHOWN
- 7) WEIGHT: D3849-045 = 8.93 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.32 THICK x 0.50 WIDE, FLUSH WITH D3849-5 BARS ON LATERAL SURFACES
- 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
- 11) TRANSFER DRILL ϕ 0.188 HOLES FROM D3849-5 PLATE TO D3901-5 BARS

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	BC	KENT, WA	
CHECKED	BC	DRAWING NO. D3849	REV. D
MFG. APPR.	BC	SHEET 4 OF 10	
APPROVED	BC	TITLE	SCALE
DE APPR.	BC	WEARPLATE ASSY	NTS
DATE	12.08.23	<small> COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMERCIALIZED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. </small>	



D3849-047 FWD WEARPLATE ASSY, FLOAT GEAR



SECTION E-E


C3-5

RELEASED
2012-09-04


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1 AS SHOWN
- 7) WEIGHT: D3849-047 = 4.60 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.32 THICK x 0.50 WIDE, FLUSH WITH D3901-1 BAR ON LATERAL SURFACES
- 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
- 11) TRANSFER DRILL $\varnothing 0.188$ HOLES FROM D3849-7 PLATE TO D3901-1 BAR


DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	DC	DRAWING NO.	REV. D
MFG. APPR.	DC	D3849	SHEET 5 OF 10
APPROVED	DC	TITLE	SCALE
DE APPR.	DC	WEARPLATE ASSY	NTS
DATE	12.08.23	<small> COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. </small>	



D3849-1 PLATE
(MAKE FROM D3849-1F)



D3849-1F FLAT PATTERN




NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524 OR ASTM A240 OR ASME SA240
18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 2.30 lbs

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	AS	DRAWING NO.	REV. D
MFG. APPR.	DS	D3849	SHEET 6 OF 10
APPROVED	TH	TITLE	SCALE
DE APPR.	TH	WEARPLATE ASSY	NTS
DATE	12.08.23	<small>COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	


RELEASED
2012-09-04

8 7 6 5 4 3 2 1




D3849-3 PLATE
(MAKE FROM D3849-3F)


97781



D3849-3F FLAT PATTERN



DETAIL K
C5-7
B5-8



DETAIL J
C2-7
B2-8


- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524 OR ASTM A240 OR ASME SA240 18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 2.74 lbs

RELEASED
2012-09-01
WH


DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	AS	DRAWING NO. D3849	REV. D
MFG. APPR.	AS	SHEET 7 OF 10	
APPROVED	AS	TITLE WEARPLATE ASSY	SCALE
DE APPR.	AS	NTS	
DATE	12.08.23	<small> COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. </small>	

8 7 6 5 4 3 2 1

97781



D3849-5 PLATE
(MAKE FROM D3849-5F)



D3849-5F FLAT PATTERN


RELEASED
2012-09-04
UNT

NOTES:


- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524 OR ASTM A240 OR ASME SA240 18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 3.17 lbs

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	BC	KENT, WA	
CHECKED	AB	DRAWING NO. D3849	REV. D
MFG. APPR.	DS	SHEET 8 OF 10	
APPROVED	MB	TITLE WEARPLATE ASSY	SCALE
DE APPR.	MB	NTS	
DATE	12.08.23	<small> COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS COVENANT THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. </small>	

97781



D3849-7 PLATE
(MAKE FROM D3849-7F)





D3849-7F FLAT PATTERN

RELEASED
2012-09-04

NOTES:



- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524 OR ASTM A240 OR ASME SA240 18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 2.32 lbs

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	DL	KENT, WA	
CHECKED	DL	DRAWING NO.	REV. D
MFG. APPR.	DL	D3849	SHEET 9 OF 10
APPROVED	DL	TITLE	SCALE
DE APPR.	DL	WEARPLATE ASSY	NTS
DATE	12.08.23	<small> COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. </small>	




DETAIL G
SLOT DETAIL TYP

C4-6
C4-7
C4-8
C6-9



DETAIL H
SLOT DETAIL TYP
C3-6
B3-9



DETAIL L
DETAIL TYP
B2-8

RELEASED
R 2012-09-04

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	DE	DRAWING NO. D3849	REV. D
MFG. APPR.	DE	SHEET 10 OF 10	
APPROVED	DE	TITLE WEARPLATE ASSY	SCALE NTS
DE APPR.	DE	DATE 12.08.23	

COPYRIGHT © 2009 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.